



# GLOBAL LEADER IN INDUSTRIAL INSPECTION SOLUTIONS

Ensure Quality, Protect Brands, Create Value



Metal Detection



X-ray Inspection



Checkweighing Solutions





**NEWGOER**  
INSPECTION SOLUTIONS

## Serving Worldwide Industries

We provide reliable, high-performance inspection equipment and intelligent solutions for product safety and quality assurance.



Food &  
Beverage



Pharmaceutical



Cosmetics



Logistics



Electronics



And More

## Guangdong Newgoer Instrument Co., Ltd.



523000 Dongguan, Guangdong, China



0086-15549056845



info@newgoer.com



www.newgoer.com



Scan to Connect with Us



Reliable  
Performance



Global  
Standards



Customer  
Partnership



# WHO WE ARE

## Reliable Partner for Inspection Equipment and Weighing Solutions

Guangdong Newgoer Instrument Co., Ltd. delivers one-stop inspection and automation solutions for diverse industries worldwide. Our equipment helps customers ensure product quality and safety at every stage of production and packaging. From solution design and precision manufacturing to installation and after-sales support, we are committed to creating lasting value for our partners.



### WHAT WE OFFER



**X-ray Foreign Object Detector**



**Metal Detector**



**Checkweigher**



**Customized Automation Equipment**



### SERVICE COMMITMENT



#### Free Sample Testing

Test your products with our equipment at no cost.



#### Technical Support

Professional team providing expert guidance.



#### Fast Response

Quick reply and efficient service worldwide.



#### Solution Customization

Tailored solutions to fit your production needs.



### QUALITY FOCUS



#### Stable Operation

High accuracy and reliable performance.



#### Hygienic Design

Easy to clean, meeting food industry standards.



#### Durable Construction

Robust materials for long-term use.



#### Easy Integration

Seamlessly fits into existing production lines.

## GLOBAL COOPERATION

**Trusted by customers in 60+ countries.  
Growing together for a safer world.**

We have established a global sales and service network to provide efficient communication and fast response, delivering a reliable experience for our worldwide partners.



Global Network



International Standards



Long-term Partnership



Customer Success



# CERTIFICATIONS & COMPLIANCE

## Your Assurance of Quality and Compliance

At Newgoer Instrument, quality is not just a promise—it's a proven process. Our manufacturing facilities and products adhere to stringent international standards. From raw material sourcing to final inspection, our certified systems ensure that every machine delivered to your production line meets the highest benchmarks for safety, hygiene, and performance.



### ISO 9001:2015 Certified

#### Consistent Manufacturing Excellence

Our ISO 9001 certification guarantees standardized processes across design, production, and service. It ensures traceability, continuous improvement, and reliable product quality—batch after batch.



### CE Marking

#### Access to the European Market

All relevant machinery carries the CE mark, complying with EU health, safety, and environmental protection legislation for safe operation and seamless customs clearance.



### FDA Compliant Materials

#### Safe for Food Applications

Equipment contact surfaces comply with U.S. FDA regulations, ensuring zero contamination risk for food, beverage, and pharmaceutical processing.



### SGS Audited Facility

#### Verified Supply Chain Integrity

Our production capabilities and quality control systems have been verified by SGS, ensuring transparency and reliability.



RAW MATERIAL  
SOURCING



PRECISION  
MANUFACTURING



RIGOROUS  
INSPECTION



RELIABLE  
DELIVERY



Traceability



Safety



Compliance



Reliable Quality



# INDUSTRY SOLUTIONS

Tailored solutions for every industry's unique challenges



## FOOD & BEVERAGE

Baking, Meat, Snacks, Beverages

### KEY PAIN POINTS

- Bones
- Metal wires
- Glass fragments
- Underweight

### APPLICATION EXAMPLES



Baking



Meat  
Products



Snacks



Beverages



## PHARMACEUTICALS & NUTRACEUTICALS

Tablets, Capsules, Powders, Liquids

### KEY PAIN POINTS

- Missing tablets
- Broken pieces
- Metal contamination
- Compliance

### APPLICATION EXAMPLES



Tablets



Capsules



Powders



Liquids



## PLASTICS & CHEMICALS

Pellets, Recycled Materials

### KEY PAIN POINTS

- Broken needles
- Metal contaminants

### APPLICATION EXAMPLES



Pellets



Recycled Materials



## PACKAGING & LOGISTICS

Carton Check, Weight Verification

### KEY PAIN POINTS

- Missing items in cartons
- Weight recheck

### APPLICATION EXAMPLES



Carton Check



Weight Verification



Industry-Focused  
Solutions



Ensure Product  
Safety & Quality



Improve Efficiency  
& Reduce Losses




Global Standards  
& Compliance



# FROM PROBLEM TO SOLUTION

Helping manufacturers solve contamination, weight control and efficiency challenges.



## RESULTS YOU CAN EXPECT



**THE RIGHT SOLUTION. THE RIGHT RESULTS.**  
Built for your products. Built for your success.

# CORE TECHNOLOGY

Engineering details that protect product quality, machine reliability and line efficiency.

1

## Food-Grade Safety

### Hygienic Design

- 304 / 316L stainless steel for food-contact parts
- FDA-approved food-grade conveyor belts
- Non-toxic and low-shedding



2

## Waterproof Technology


- Designed for CIP and high-pressure washdown
- Prevents water ingress and short circuits
- Resists cleaning-agent corrosion
- Helps extend equipment life



3

## Detection Technology

- Multi-frequency metal detection
- Advanced X-ray algorithms



4

## Weighing Technology

- High-speed digital load cells
- EMC shielding



5

## Reject Technology


### 1 Air Blast Reject



### 2 Pusher Reject




### 3 Flap Reject




### 4 Falling Belt Reject



### 5 Telescopic Reject



### 6 Left/Right Diverter






# PRODUCT CENTER

Browse Our Main Product Categories

01



**X-Ray  
Inspection Systems**

Pages  
**1-3**

02



**Metal Detection &  
Separation**

Pages  
**4-9**

03



**Dynamic Weighing  
Systems**

Pages  
**10-13**

04



**Combo Systems**

Pages  
**14-16**


05



**Sorting & Grading  
Solutions**

Pages  
**17-28**

06



**Security Inspection  
Equipment**

Pages  
**29-30**



# NG-708F Top-View X-Ray Inspection System

Top-Down Configuration — Precision X-Ray Inspection for Packaged Products



## Detect Metal, Glass, Stone, Bone & High-Density Plastics — Beyond Metal Detection

- 1

**Multi-Material Detection**  
Identifies ferrous, non-ferrous, stainless steel, glass, ceramic, stone, bone, and high-density plastics that metal detectors cannot catch
- 2

**Top-Down Imaging**  
Vertical X-ray beam penetrates packaged products from above — ideal for boxes, trays, pouches, and flat containers at production speed
- 3

**Intelligent Image Processing**  
Real-time algorithm automatically identifies contaminants by density contrast. Product learning ensures minimal false rejection
- 4

**GMP / HACCP Compliance**  
Full audit trail with image storage, batch reporting, and data export for regulatory documentation and traceability

For products where metal detection alone is insufficient. The NG-708F top-down configuration provides comprehensive contaminant inspection for packaged foods, ready meals, and consumer goods. Fully customizable tunnel dimensions to match your production line.

|                                                  |                                                                 |                                                                            |                                          |
|--------------------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------------------------|------------------------------------------|
| Detection Method<br><b>X-Ray Imaging</b>         | Contaminant Types<br><b>Metal, Glass, Stone, Bone, Plastics</b> | Audit Trail<br><b>Image Storage &amp; Data Export</b>                      | Material<br><b>Food-Grade SUS304</b>     |
| Configuration<br><b>Top-Down (Vertical Beam)</b> | Reject Device<br><b>Integrated, Customizable</b>                | Safety<br><b>Multiple interlocks for secure. Radiation &lt; 0.4 µSv/h.</b> | Display<br><b>Industrial Touchscreen</b> |

# NG-708B Side-View X-Ray Inspection System

Side-Shoot Configuration — X-Ray Inspection for Tall Containers & Bottles



## Horizontal X-Ray Beam Penetrates Tall Containers — Detect Contaminants Other Systems Miss

- 1

**Side-Shoot Geometry**  
Horizontal X-ray beam inspects through the side of tall containers — bottles, jars, cans, and rigid packaging where top-down fails
- 2

**Full Container Inspection**  
Side-shoot penetration ensures the entire product height is scanned — no blind spots at the bottom of deep containers
- 3

**High-Speed Processing**  
Real-time dual-view imaging available — combine top and side views for complete 360-degree contaminant detection
- 4

**Beverage & Liquid Ready**  
Optimized for bottled beverages, jarred sauces, canned goods, and dairy products — even with liquid-filled containers

The side-view configuration is purpose-built for tall, rigid containers where vertical X-ray beams cannot penetrate effectively. Ideal for bottled beverages, glass jars, metal cans, and dairy containers. Customizable tunnel and conveyor dimensions.

|                                             |                                                                 |                                                                            |                                                 |
|---------------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------|
| Detection Method<br><b>X-Ray Side-Shoot</b> | Contaminant Types<br><b>Metal, Glass, Stone, Bone, Plastics</b> | Audit Trail<br><b>Image Storage &amp; Data Export</b>                      | Material<br><b>Food-Grade SUS304</b>            |
| Configuration<br><b>Horizontal Beam</b>     | Best For<br><b>Bottles, Jars, Cans, Rigid Packaging</b>         | Safety<br><b>Multiple interlocks for secure. Radiation &lt; 0.4 µSv/h.</b> | Multi-View<br><b>Dual-View Option Available</b> |



# NG-708K Bulk X-Ray Inspection System

Gravity-Feed Configuration — Bulk X-Ray Inspection for Powders, Granules & Loose Materials



## Inspect Bulk Products in Free-Fall — Catch Contaminants Before Packaging, No Conveyor Needed

- 1

**Gravity-Feed Design**  
Bulk powders, granules, and loose materials pass through the X-ray beam in free-fall — no conveyor, no mechanical transport, no product damage
- 2

**High-Speed Bulk Inspection**  
Processes up to several tons per hour. Designed for flour, sugar, spices, grains, chemical powders, and plastic pellets
- 3

**Ultra-Fast Reject Gate**  
High-speed pneumatic diverter separates contaminated material in milliseconds — minimal product loss per rejection event
- 4

**Quick Clean-Out Access**  
Tool-free disassembly with polished interior surfaces. Full clean-out in under 60 seconds for rapid product changeover

The gravity-feed configuration installs above hoppers, VFFS machines, or filling stations — providing final-stage contaminant protection before your bulk product reaches the package. Ideal for dry free-flowing materials where conveyor-based systems are impractical.

|                       |                                     |                                 |                                 |
|-----------------------|-------------------------------------|---------------------------------|---------------------------------|
| Detection Method      | Contaminant Types                   | Product Type                    | Mounting                        |
| X-Ray Gravity-Feed    | Metal, Glass, Stone, Bone, Plastics | Bulk Powders, Granules, Pellets | Hopper / VFFS / Filling Station |
| Throughput            | Reject Method                       | Cleaning                        | Material                        |
| Up to Several Tons/hr | Pneumatic High-Speed Gate           | Tool-Free, <60 sec              | SUS304 / SUS316L                |

# NG-706 Intelligent Food Metal Detector

Conveyor Belt Series — Precision Detection for Food Safety



## Industry-Leading Sensitivity Down to Fe 0.6mm — Safeguard Your Brand at Every Stage of Production

- 1

**Dual-Circuit Detection**  
Superior sensitivity for ferrous, non-ferrous and stainless steel contaminants with 100-level fine adjustment
- 2

**Intelligent Auto-Learning**  
One-touch product learning with 15-product memory and automatic product effect compensation
- 3

**7" Touchscreen Interface**  
Full-color LCD with real-time waveform display, self-diagnostic system and intuitive operation
- 4

**Food-Grade Construction**  
All SUS304 stainless steel, anti-corrosion, easy-clean, with optional automatic reject system

Engineered for high-speed food production, the NG-706 delivers reliable metal contaminant detection for bakery, meat, dairy, confectionery, frozen foods, and pharmaceutical applications. Fully customizable in width (200–400 mm) and height (80–200 mm) to integrate into your existing line.

|                                       |                                    |                                 |                               |
|---------------------------------------|------------------------------------|---------------------------------|-------------------------------|
| Fe Sensitivity<br>0.6 – 3.0 mm        | Non-Fe Sensitivity<br>1.20– 4.0 mm | SUS Sensitivity<br>1.5 – 5.0 mm | Display<br>7" LCD Touchscreen |
| Detection Width<br>200 / 300 / 400 mm | Detection Height<br>80 – 200 mm    | Belt Speed<br>20 m/min          | Material<br>Food-Grade SUS304 |



# NG-706F Metal Detector for Aluminum Foil Packaging

Magnetic Field Detection — Breakthrough for Foil-Wrapped & Metallized Film Products



## Detect Ferrous & Stainless Steel Through Thick Aluminum Trays and Foil Wrappers

- 1

**Magnetic Field Technology**  
Uses a fundamentally different detection principle — magnetizes ferrous particles for detection where conventional detectors fail
- 2

**Foil & Aluminum Compatible**  
Penetrates thick aluminum trays, metallized film pouches, and foil-wrapped products — ideal for ready meals and sauces
- 3

**Intelligent Signal Processing**  
Advanced coil array reliably distinguishes contaminant signals from product effect and packaging interference
- 4


**Conveyor Integration Ready**  
Standard belt format with adjustable speed, optional automatic reject device, and 7" touchscreen interface

Conventional metal detectors are blind to aluminum-packaged products. The NG-706F solves this — essential for ready meal producers, airline catering, foil-packed dairy, and any manufacturer using aluminum trays or metallized film.

|                                                                  |                                                           |                                  |                                                |
|------------------------------------------------------------------|-----------------------------------------------------------|----------------------------------|------------------------------------------------|
| Detection Principle<br><b>Magnetic Field</b>                     | Detection Targets<br><b>Ferrous &amp; Stainless Steel</b> | Reject Device<br><b>Optional</b> | Material<br><b>SUS304 Stainless Steel</b>      |
| Packaging Types<br><b>Aluminum Tray / Foil / Metallized Film</b> | Display<br><b>7" LCD Touchscreen</b>                      | Belt Speed<br><b>Adjustable</b>  | Tunnel Dimensions<br><b>Fully Customizable</b> |

# NG-707 Broken Needle Detector

Needle & Metal Fragment Detection for Textile, Garment & Toy Industries



## Catch Broken Needles and Metal Fragments Before They Reach Your Customer

- 1

**Ultra-High Sensitivity**  
Detects the smallest broken sewing needle tips and metal fragments embedded in textiles, stuffed toys, footwear, and garments
- 2

**Wide Detection Tunnel**  
Large aperture design accommodates bulky items like plush toys, quilts, pillows, and folded garments without compromising accuracy
- 3

**Conveyor Belt Transport**  
Automated belt feed ensures consistent product passage speed and eliminates operator fatigue in high-volume inspection lines
- 4

**Multi-Industry Certified**  
Meets toy safety standards (EN71, ASTM F963) and textile industry requirements — trusted by garment factories and QA labs worldwide

Broken needles in finished textile products are a critical safety hazard. The NG-707 detects ferrous metal fragments as small as 1.0 mm in soft goods on a conveyor belt — trusted by garment factories, toy manufacturers, and quality assurance labs globally.

|                                |                             |                    |                                 |
|--------------------------------|-----------------------------|--------------------|---------------------------------|
| Detection Target               | Tunnel Size                 | Display            | Applications                    |
| Ferrous Metal / Broken Needles | Wide Aperture, Customizable | 7" Touchscreen     | Garment, Toy, Textile, Footwear |
| Sensitivity                    | Feed Method                 | Alarm Mode         | Material                        |
| Up to Fe 1.0 mm                | Conveyor Belt               | Buzzer + Auto Stop | SUS304 Stainless Steel          |



# NG-706B Pipeline Metal Detector for Liquid

In-Line Detection for Pumped Products — Pastes, Sauces, Soups & Liquid Foods



## Seamless In-Line Metal Detection — Installed Directly Into Your Process Pipeline

- 1

**Pipeline Integration**  
Installed directly into your existing process pipeline with standard tri-clamp or dairy fittings — no conveyor, no product handling changes
- 2

**High-Viscosity Compatible**  
Handles liquids, pastes, sauces, soups, minced meat, dairy products, and pharmaceutical fluids without flow restriction
- 3

**Auto Reject Valve**  
Integrated diverter instantly redirects contaminated product from the main flow — minimal product loss, maximum protection
- 4

**CIP / SIP Compatible**  
Full Clean-in-Place and Sterilize-in-Place compatibility with food-grade seals and polished stainless steel construction

Brings metal detection directly into your process pipeline. Detects ferrous, non-ferrous, and stainless steel contaminants in pumped products without slowing production. Ideal for sauces, soups, dairy, meat emulsions, beverage concentrates, and pharmaceutical liquids.

|                                             |                                                  |                                                |                                     |
|---------------------------------------------|--------------------------------------------------|------------------------------------------------|-------------------------------------|
| Detection Targets<br><b>Fe, Non-Fe, SUS</b> | Product Types<br><b>Liquid, Paste, Slurry</b>    | Connection<br><b>Tri-Clamp / Dairy Fitting</b> | Material<br><b>SUS304 / SUS316L</b> |
| Pipe Diameter<br><b>Customizable</b>        | Reject Method<br><b>Automatic Diverter Valve</b> | Cleaning<br><b>CIP / SIP Compatible</b>        | Display<br><b>7" Touchscreen</b>    |

# NG-706T Tablet / Capsule Metal Detector

Free-Fall Detection for Pharmaceutical Tablets, Capsules & Small Solid Products



## GMP-Compliant Detection at Tablet Press Speed — Inspect Every Unit Before Packaging

- 1

**Free-Fall Gravity Feed**  
Tablets and capsules fall through the detection head by gravity — no mechanical transport, zero damage risk to fragile products
- 2

**Ultra-High Speed**  
Capable of inspecting tens of thousands of tablets per hour, keeping pace with high-output tablet presses and encapsulation machines
- 3

**Pharma-Grade Compliance**  
GMP / 21 CFR Part 11 compliant with full validation documentation, audit trail, and IQ/OQ/PQ support packages
- 4

**Quick-Split Reject Gate**  
High-speed pneumatic diverter instantly separates contaminated product from the good stream with minimal false rejection

Designed for pharmaceutical manufacturers who demand the highest sensitivity without slowing production. The NG-706T mounts directly between the tablet press and collection bin. Rugged stainless steel construction with quick-release for tool-free cleaning and rapid product changeover.

|                                              |                                                     |                                                 |                                     |
|----------------------------------------------|-----------------------------------------------------|-------------------------------------------------|-------------------------------------|
| Detection Method<br><b>Free-Fall Gravity</b> | Product Types<br><b>Tablets, Capsules, Granules</b> | Compliance<br><b>GMP / 21 CFR Part 11 Ready</b> | Material<br><b>SUS304 / SUS316L</b> |
| Throughput<br><b>10,000+ pcs/hr</b>          | Reject Method<br><b>Pneumatic Diverter Gate</b>     | Cleaning<br><b>Quick-Release, Tool-Free</b>     | Display<br><b>7" Touchscreen</b>    |



# NG-706C Gravity Metal Separator

Free-Fall Metal Separation for Bulk Powders, Granules & Dry Free-Flowing Materials



## Detect and Remove Metal from Bulk Dry Products — No Conveyor, No Slowdown, Zero Extra Power

- 1

**Gravity-Fed, Zero Energy**  
Product flows through the detection head naturally by gravity — no motor, no conveyor, no additional power draw for transport
- 2

**High-Speed Reject Valve**  
Ultra-fast pneumatic diverter separates contaminated material in milliseconds — minimizes good product loss to just grams per event
- 3

**Fast Clean-Out**  
Quick-release clamps and polished interior surfaces allow complete disassembly and cleaning in under 60 seconds
- 4

**Versatile Mounting**  
Installs above hoppers, VFFS machines, or filling stations. Compact footprint fits into tight spaces with minimal line modification

Ideal for flour, sugar, spices, coffee, grains, plastic pellets, chemical powders, and any dry free-flowing bulk material. The NG-706C provides final-stage metal contamination protection before packaging — ensuring nothing reaches your customer that shouldn't.

|                                         |                                                    |                                                    |                                             |
|-----------------------------------------|----------------------------------------------------|----------------------------------------------------|---------------------------------------------|
| Feed Method<br><b>Gravity Free-Fall</b> | Product Types<br><b>Powder, Granules, Pellets</b>  | Cleaning<br><b>Quick-Release, &lt;60 sec</b>       | Material<br><b>SUS304 / SUS316L</b>         |
| Throughput<br><b>Up to 5,000 kg/hr</b>  | Reject Method<br><b>Pneumatic High-Speed Valve</b> | Mounting<br><b>Hopper / VFFS / Filling Station</b> | Detection Targets<br><b>Fe, Non-Fe, SUS</b> |

# NG-709S High Precision Automatic Checkweigher

Sub-Gram Accuracy for Small, Lightweight Products — 0.01 g Resolution



## 0.01 g Resolution at Line Speed — Verify Every Unit Meets Your Weight Specification

- 1

**Sub-Gram Precision**  
0.01 g minimum scale with  $\pm 0.1$  g to  $\pm 0.5$  g accuracy — perfect for pharmaceuticals, cosmetics, electronics, and precision hardware
- 2

**Air Blast Rejection**  
Non-contact pneumatic rejection gently removes out-of-tolerance products — ideal for fragile items like tablets and capsules
- 3

**Compact Footprint**  
Weighing section of just 250 × 120/150 mm fits into tight packaging lines and small production spaces with ease
- 4

**Built-in Statistics**  
Production weight trend analysis, batch reporting, and data export for quality documentation and process optimization

When every fraction of a gram matters, the NG-709S delivers. Designed for products under 200 g, this high-precision checkweigher provides laboratory-grade weighing accuracy in a production environment. Essential for pharmaceutical tablets, cosmetic samples, and electronic components.

|                           |                                            |                                          |                                    |
|---------------------------|--------------------------------------------|------------------------------------------|------------------------------------|
| Weighing Range<br>≤ 200 g | Accuracy<br>±0.1 g – ±0.5 g                | Reject Method<br>Air Blast (Non-Contact) | Material<br>SUS304 Stainless Steel |
| Min. Scale<br>0.01 g      | Weighing Section<br>L 250 × W 120 / 150 mm | Display<br>7" Touchscreen                | Statistics<br>Built-in & Export    |

# NG-709 Automatic Checkweigher

Standard In-Line Weight Verification for Packaged Food, Consumer Goods & Industrial Products



## Ensure Every Package Meets Weight Spec — Reduce Giveaway, Prevent Underweight Rejects

- 1 Three Capacity Ranges**  
Available in 1 kg, 2 kg, and 3 kg options to match your product portfolio at 0.1 g resolution across all ranges
- 2 Pusher Reject System**  
Mechanical pusher arm reliably removes out-of-spec products — handles boxes, bags, trays, and pouches without damage
- 3 Dynamic Compensation**  
Advanced filtering algorithm compensates for vibration and line speed — accurate at up to 120 packs per minute
- 4 Multi-Zone Analysis**  
Programmable under/over/pass weight zones with trend analysis to optimize filling machine accuracy in real time

The workhorse of your quality control line. The NG-709 provides consistent, reliable in-line weight checking for packaged food products, consumer goods, and industrial items. Wide 400 × 200/250 mm weighing platform with digital load cell technology and automatic zero calibration.

Weighing Range  
**1 / 2 / 3 kg**

Accuracy  
**±0.1 g – ±2 g**

Reject Method  
**Pusher Arm**

Display  
**7" Touchscreen**

Min. Scale  
**0.1 g**

Weighing Section  
**L 400 × W 200 / 250 mm**

Throughput  
**Up to 120 ppm**

Material  
**SUS304 Stainless Steel**



# NG-709L Heavy Duty Automatic Checkweigher

20–30 kg Capacity — Built Tough for Bulk Cartons, Cases & Industrial Containers



## Handle Up to 30 kg Per Item — Heavy-Duty Design for Demanding Industrial Applications

- 1

**Heavy-Duty Capacity**  
Weighs products up to 20 kg or 30 kg with robust industrial load cells rated for continuous multi-shift operation
- 2

**Rotating Reject Roller**  
Powered roller reject mechanism smoothly diverts overweight/underweight cartons without product damage
- 3

**Oversized Platform**  
Available in L 600/900 mm × W 400/500/600 mm — accommodates large cartons to bulk industrial containers
- 4

**Reinforced Construction**  
Heavy-gauge stainless steel frame with reinforced conveyor rollers designed for continuous heavy-load operation

Built for the heavy end of your production line. The NG-709L handles master cartons, bulk sacks, industrial containers, and logistics shipments where standard checkweighers fall short. Reliable  $\pm 2$  g to  $\pm 20$  g accuracy at production speed with durable construction.

|                                 |                                                  |                                  |                                    |
|---------------------------------|--------------------------------------------------|----------------------------------|------------------------------------|
| Weighing Range<br>20 kg / 30 kg | Accuracy<br>$\pm 2$ g – $\pm 20$ g               | Reject Method<br>Rotating Roller | Construction<br>Heavy-Gauge SUS304 |
| Min. Scale<br>1 g               | Weighing Section<br>L 600/900 × W 400/500/600 mm | Display<br>7" Touchscreen        | Operation<br>Continuous Duty Rated |

# NG-709-M Small Automatic Checkweigher

Space-Saving High-Precision Weighing for Small Packages — 0.01 g Resolution



## 0.01 g Accuracy in a Compact Frame — Precision Weight Control Where Floor Space Is Limited

- 1

**High Precision, Small Package**  
0.01 g minimum scale with  $\pm 0.1$  g to  $\pm 0.3$  g accuracy for products up to 500 g — ideal for sachets, pouches, and blister packs
- 2

**Dual-Direction Reject**  
Left and right pneumatic reject arms sort products by weight category — over, under, and pass — into three separate lanes
- 3

**Ultra-Compact Design**  
Weighing section of just 250 × 170 mm fits into the tightest packaging lines. Minimal footprint, maximum capability
- 4

**Quick Changeover**  
One-touch recipe recall automatically adjusts belt speed and reject timing to the selected product parameters

Perfect for small-format products where both space and precision are at a premium. Handles sachets, stick packs, blister packs, cosmetics samples, and small hardware components with laboratory-grade weighing in a production-floor-ready package.

|                           |                                      |                                |                                       |
|---------------------------|--------------------------------------|--------------------------------|---------------------------------------|
| Weighing Range<br>≤ 500 g | Accuracy<br>±0.1 g – ±0.3 g          | Reject Method<br>L/R Pneumatic | Changeover<br>One-Touch Recipe Recall |
| Min. Scale<br>0.01 g      | Weighing Section<br>L 250 × W 170 mm | Display<br>7" Touchscreen      | Material<br>SUS304 Stainless Steel    |

# NG-7067 Metal Detector & Checkweigher Combo

Integrated Metal Detection & Checkweighing — Two Inspections, One Machine



## Combine Contaminant Detection and Weight Verification — Save Space, Time, and Cost

- 1

**Dual Inspection in One Pass**  
Metal detection and high-precision checkweighing integrated into a single conveyor system — two critical QC steps, one footprint
- 2

**Space-Saving Design**  
Eliminates the need for two separate machines and the conveyor gap between them — saves valuable production floor space
- 3

**Unified Control Interface**  
Single 7-inch touchscreen manages both inspection modules — simplifies operator training and daily operation
- 4

**Integrated Reject System**  
Combined reject mechanism sorts products based on either metal contamination or weight variance — one action, complete sorting

The ultimate line-integration solution. The NG-7067 combines NEWGOER's proven metal detection and checkweighing technologies into one compact system. Ideal for food production lines where both contaminant control and weight compliance are mandatory.

|                            |                        |                        |                               |
|----------------------------|------------------------|------------------------|-------------------------------|
| Functions                  | Metal Detection        | Reject Method          | Footprint                     |
| Metal Detection + Weighing | Fe, Non-Fe, SUS        | Integrated Push Arm    | Single Machine, Dual Function |
| Weighing Range             | Display                | Material               | Customization                 |
| Up to 3 kg                 | 7" Unified Touchscreen | SUS304 Stainless Steel | Fully Configurable            |



# NG-7068 Vision Inspection & Checkweighing Combo

Integrated Visual Inspection & Weight Verification — Complete Quality Control, Automated



## See Defects Weighing Alone Cannot Find — Vision + Weight in One Seamless System

- 1

**Camera-Based Defect Detection**  
High-resolution industrial cameras inspect for label errors, missing components, seal integrity, shape defects, and foreign objects
- 2

**Simultaneous Checkweighing**  
Precision load cell measures weight while the camera inspects — two quality checks in a single product pass
- 3

**AI-Powered Image Analysis**  
Machine learning algorithms adapt to your product range, learning acceptable variation and flagging true anomalies with low false rejection
- 4

**Comprehensive Reporting**  
Vision snapshots and weight data logged per product with full traceability — ideal for retail supplier compliance and audit requirements

Go beyond weight-only QC. The NG-7068 combines high-speed camera inspection with precision checkweighing in one integrated conveyor system. Catch label misplacement, damaged packaging, missing inserts, and weight deviations — all in a single pass.

|                                                  |                                              |                                                          |                                                    |
|--------------------------------------------------|----------------------------------------------|----------------------------------------------------------|----------------------------------------------------|
| Functions<br><b>Vision Inspection + Weighing</b> | AI Analysis<br><b>Machine Learning Based</b> | Reject Method<br><b>Integrated Push Arm or Air Blast</b> | Traceability<br><b>Image + Weight Data Logging</b> |
| Camera<br><b>High-Resolution Industrial</b>      | Display<br><b>7" Unified Touchscreen</b>     | Material<br><b>SUS304 Stainless Steel</b>                | Customization<br><b>Fully Configurable</b>         |

# NG-7069 Vision-Metal-Checkweighing Combo

Triple Inspection in One Pass — Vision, Metal Detection & Checkweighing Integrated



## Three Inspections, One Machine — The Ultimate All-in-One Quality Control Solution

- 1

**Triple Inspection Integration**  
Vision inspection, metal detection, and high-precision checkweighing combined into a single conveyor system — maximum QC, minimum footprint
- 2

**360° Product Verification**  
Cameras inspect visual defects, metal detector catches contaminants, and load cell verifies weight — nothing escapes inspection
- 3

**Single Unified Interface**  
One touchscreen controls all three inspection modules. One reject system. One data log. Simplified operation with comprehensive oversight
- 4

**Retail & Export Ready**  
Full compliance documentation for retail supplier audits, export quality standards, and GFSI-recognized food safety schemes

The flagship of NEWGOER's integrated QC line. The NG-7069 combines camera-based visual inspection, dual-circuit metal detection, and precision checkweighing in one machine. Ultimate protection for brands that demand zero-defect production.

|                           |                          |                        |                           |
|---------------------------|--------------------------|------------------------|---------------------------|
| Functions                 | Vision System            | Reject Method          | Compliance                |
| Vision + Metal + Weighing | Multi-Camera, AI Powered | Integrated Push Arm    | GFSI / Retail Audit Ready |
| Metal Detection           | Display                  | Material               | Data Logging              |
| Fe, Non-Fe, SUS           | 7" Unified Touchscreen   | SUS304 Stainless Steel | Full Traceability         |

# NG-709-6 Automatic Weight Sorting Machine

Multi-Grade Dynamic Weight Sorting for Food, Aquatic & Agricultural Products



## Sort Every Product to Its Exact Weight Grade — Automatically, at Full Production Speed

- 1

**Multi-Grade Sorting**  
Simultaneously sorts products into 2–12 weight grades in a single pass — maximizing yield value from every production run
- 2

**High-Speed Dynamic Weighing**  
Precision load cell captures product weight while in motion — no pausing, no slowdown, consistent throughput at line speed
- 3

**Intelligent Grade Assignment**  
Touchscreen displays real-time weight distribution per grade. Programmable grade thresholds adapt to any product or market specification
- 4

**Washdown-Ready Construction**  
Full SUS304 stainless steel construction with IP65 waterproof rating — designed for wet, humid, and washdown production environments

The NG-709-6 delivers precise, automated weight grading for fish, poultry portions, shrimp, produce, meat cuts, and packaged goods. Multiple sorting configurations available — 2 to 12 grade outputs — to match your product range and market requirements.

|                                        |                                   |                                              |                                     |
|----------------------------------------|-----------------------------------|----------------------------------------------|-------------------------------------|
| Sorting Grades<br>2 – 12 Grade Outputs | Accuracy<br>±1 g – ±5 g           | Applications<br>Fish, Poultry, Produce, Meat | Material<br>SUS304 Stainless Steel  |
| Weighing Method<br>Dynamic In-Motion   | Display<br>Touchscreen Controller | Waterproof<br>IP65 Rated                     | Customization<br>Fully Configurable |



# WEIGHT SORTING MACHINE SOLUTIONS

2 / 4 / 5 / 12 Sorting Grades for Different Applications




2-Grade



4-Grade



5-Grade



12-Grade



High Accuracy



Automatic Sorting



Touch Screen Control



Food-Grade Structure



Customizable Design



Easy Cleaning

## TYPICAL APPLICATIONS



POULTRY



SEAFOOD



MEAT



FISH



VEGETABLES & FRUITS



PREPARED FOODS



PACKAGED PRODUCTS



Flexible weight sorting solutions for different products, capacities and production layouts.



Suitable for grading, portion control and automated distribution.

# NG-709WZ Poultry Weight Sorting Machine — Whole Bird

High-Speed Precision Grading for Whole Broilers, Ducks & Turkeys



## Grade Whole Birds by Exact Weight — Eliminate Manual Sorting, Maximize Line Value

- 1

**High-Speed Throughput**  
Handles thousands of whole birds per hour with consistent accuracy — dramatically outperforming manual grading in speed and reliability
- 2

**Multi-Grade Output**  
Simultaneously distributes birds into multiple weight grades — matching retail specifications, export requirements, and catering pack sizes
- 3

**Poultry-Grade Hygienic Design**  
Full SUS304 stainless steel with IP65 washdown rating. Smooth surfaces, no dead zones — easy clean between flocks
- 4

**Real-Time Weight Data**  
Every bird's weight is recorded and analyzed. Production statistics and grade distribution data exported for traceability and yield management

Designed specifically for the poultry processing industry, the NG-709WZ automates whole-bird weight grading at slaughter-line speed. Eliminates costly manual sorting labor, reduces grade misclassification, and delivers consistent pack weight compliance for retail and food service customers.

|                       |                          |                     |                               |
|-----------------------|--------------------------|---------------------|-------------------------------|
| Product Type          | Sorting Grades           | Waterproof          | Data Output                   |
| Whole Poultry         | Configurable Multi-Grade | IP65 Washdown Rated | Real-Time Statistics & Export |
| (Broiler/Duck/Turkey) |                          |                     |                               |
| Weighing Method       | Throughput               | Material            | Customization                 |
| Dynamic In-Motion     | High Speed, Line Matched | Full SUS304         | Lane Count & Grade Thresholds |



## POULTRY WEIGHT SORTING MACHINE

Accurate Weight Sorting  
for Whole Poultry



**HIGH ACCURACY**  
±2g High Precision  
Sorting



**HIGH EFFICIENCY**  
Up to 120 pcs/min  
Fast Sorting



**STAINLESS STEEL**  
Food Grade Material  
Hygienic & Durable



**EASY OPERATION**  
Intelligent Control  
Touch Screen



**WIDE APPLICATION**  
Suitable for Various  
Poultry Products

### WHOLE POULTRY SORTING

- ✓ Automatic weight detection
- ✓ High-speed & high-precision sorting
- ✓ Multiple weight grades
- ✓ Improve efficiency and reduce labor



## ACCURATE SORTING BETTER QUALITY CONTROL



ACCURATE  
WEIGHT DETECTION



AUTOMATIC  
SORTING



IMPROVE  
PRODUCT QUALITY



**SUITABLE FOR WHOLE POULTRY**  
(Chicken / Duck / Goose / etc.)



PACKAGED WHOLE CHICKEN



FRESH WHOLE CHICKEN



WHOLE DUCK



WHOLE GOOSE



# NG-709WB Poultry Weight Sorting — Portions

Automated Weight Grading for Poultry Cuts, Portions & Deboned Products



## Precise Portion Grading for Breast, Thigh & Wing Cuts — Every Grade, Every Time

- 1

**Flat-Tray Feeding System**  
Wide stainless steel infeed tray accepts irregular-shaped portions placed manually or via automated feed — handles breast, thigh, drumstick, and wing cuts
- 2

**Multi-Lane Portion Sorting**  
Blue belt conveyor feeds portions to individual weighing cells. Each portion is weighed and directed to the correct grade lane automatically
- 3

**High Accuracy for Irregular Shapes**  
Dynamic weighing algorithm compensates for the unpredictable shape and movement of poultry portions — achieving consistent  $\pm 2$  g accuracy
- 4

**IP65 Washdown Standard**  
Designed for poultry processing wet environments. Full stainless steel, sealed electronics, quick-release belt for daily deep cleaning

The NG-709WB replaces manual portion sorting in poultry cut-up lines. Consistent weight grading of bone-in and deboned cuts reduces giveaway, improves pack weight compliance, and eliminates the variability and cost of manual sorting labor.

|                           |                          |                     |                            |
|---------------------------|--------------------------|---------------------|----------------------------|
| Product Type              | Sorting Grades           | Waterproof          | Data Output                |
| Poultry Cuts & Portions   | Multi-Grade Configurable | IP65 Washdown Rated | Real-Time Grade Statistics |
| Feed Method               | Accuracy                 | Material            | Cleaning                   |
| Manual / Auto Infeed Tray | $\pm 2$ g Dynamic        | Full SUS304         | Quick-Release Belt System  |

# POULTRY PARTS WEIGHT SORTING MACHINE

Designed for precise weight grading of poultry parts and meat portions.

Suitable for chicken wings, duck wings, drumsticks, breast fillets and similar poultry cuts.



## SUITABLE PRODUCTS



Chicken Breast



Chicken Drumstick



Chicken Wing



Duck Wing /  
Duck Drumstick /  
Similar Poultry Parts



High Accuracy  
 $\pm 1g / \pm 2g / \pm 3g$   
depending on capacity



High Speed  
Up to 120 pcs/min



6 Sorting Stations  
Customized available



Food-grade  
PU Belt



304  
Stainless Steel



Touch Screen  
Control



Ideal for poultry parts grading, portion control  
and production efficiency improvement.

# NG-709WY Fishery Weight Sorting Machine

High-Volume Weight Grading for Fresh, Chilled & Frozen Fish Species



## Grade Whole Fish and Fillets by Exact Weight — Automate Your Fishery Sorting Line

- 1

**Large-Scale Fish Handling**  
Wide stainless steel infeed tray and long sorting conveyor accommodate salmon, tilapia, sea bass, catfish, and other species at processing volume
- 2

**Wet & Icy Condition Ready**  
IP65 waterproof rating with non-slip belt designed for wet fishery conditions — performs reliably with chilled and partially frozen product
- 3

**Multi-Grade Output Lanes**  
Sorts into 4–12 weight categories simultaneously, directing each fish to its grade collection lane for downstream packaging
- 4

**Yield & Traceability Data**  
Real-time weight data per fish, grade distribution statistics, and shift reporting — supports traceability and catch processing documentation

Designed for salmon, tilapia, and other commercial fish species, the NG-709WY delivers precise, high-speed weight grading for whole fish and fillets. Replaces labor-intensive manual sizing, ensuring consistent grade compliance for retail, food service, and export markets.

|                      |                      |                    |                           |
|----------------------|----------------------|--------------------|---------------------------|
| Product Type         | Sorting Grades       | Waterproof         | Belt                      |
| Whole Fish & Fillets | 4 – 12 Grade Outputs | IP65 Fishery Rated | Non-Slip Food Grade       |
| Weighing Method      | Accuracy             | Material           | Data Output               |
| Dynamic In-Motion    | ±2 g – ±5 g          | Full SUS304        | Real-Time & Shift Reports |



# FISH WEIGHT SORTING MACHINE

// Accurate weight grading for fish, fish fillet, lobster/crayfish, and similar fish products



## SUITABLE PRODUCTS



Small Fish



Fish Fillet



Lobster / Crayfish



High Accuracy



High Speed



6 Sorting Stations



Food-grade PU Belt



304 Stainless Steel



Touch Screen Control



**Built for efficiency.  
Engineered for quality.**

Designed for automatic weight sorting of seafood products to improve grading consistency, processing efficiency and product quality.



**RoHS  
COMPLIANT**



**Ideal for seafood grading, portion control and processing efficiency improvement.**

# NG-709WH Seafood Weight Sorting Machine

Marine-Grade Precision Grading for Shrimp, Crab, Shellfish & Processed Seafood



## Grade Shrimp, Crab & Shellfish by Exact Weight — Consistent Sizing for Premium Markets

- 1

**Seafood-Optimized Design**  
Multiple angled stainless steel sorting chutes handle shrimp, crab, and irregular shellfish shapes — minimal product damage, maximum grade accuracy
- 2

**Marine-Grade Waterproof**  
IP65 rated with full SUS304 construction designed for the harshest seafood processing environments — ice, brine, and high-pressure washdown
- 3

**Compact Multi-Grade Layout**  
Front-to-back sorting configuration maximizes grade output lanes within a compact footprint — ideal for space-constrained processing plants
- 4

**Export Compliance Ready**  
Consistent size grading meets international retail and wholesale buyer specifications for shrimp count-per-kilo, crab size grades, and seafood sizing standards


The NG-709WH delivers precise, automated weight grading for shrimp, crab, lobster, scallops, and processed seafood products. Purpose-built for the seafood processing industry, it replaces manual sizing labor with consistent, traceable, high-speed automation.

|                                  |                          |                   |                          |
|----------------------------------|--------------------------|-------------------|--------------------------|
| Product Type                     | Sorting Grades           | Waterproof        | Chute Design             |
| Shrimp, Crab, Shellfish, Seafood | Multi-Grade Configurable | IP65 Marine-Grade | Angled Multi-Lane Output |
| Weighing Method                  | Accuracy                 | Material          | Cleaning                 |
| Dynamic In-Motion                | ±1 g – ±3 g              | Full SUS304       | High-Pressure Washdown   |



# SEAFOOD WEIGHT SORTING MACHINE

// Accurate weight grading for abalone and similar seafood products



## SUITABLE PRODUCTS



Abalone



Sea Cucumber



Scallop Meat



Shellfish



High Accuracy



High Speed



Customized Sorting Stations



Food-grade PU Belt



304 Stainless Steel



Touch Screen Control



**Built for efficiency.  
Engineered for quality.**

Designed for automatic weight sorting of seafood products to improve grading consistency, processing efficiency and product quality.



**RoHS  
COMPLIANT**



Ideal for seafood grading, portion control and processing efficiency improvement.



# NG-709P-C Automatic Weight Batching Machine

Multi-Lane Precision Batching for Consistent Product Formulation & Pack Filling



## Batch Every Product to Exact Target Weight — Automated, Consistent, and Traceable

- 1

**Precise Weight Batching**  
Multiple parallel weighing lanes simultaneously batch products to exact target weights — dramatically reducing giveaway compared to volumetric filling
- 2

**High-Throughput Multi-Lane**  
Compact multi-lane design achieves high pack-per-minute throughput in a small footprint — ideal for replacing manual weighing stations
- 3

**Programmable Recipes**  
Store and recall weight targets and batching parameters for each product — one-touch changeover between SKUs with zero recalibration
- 4

**Washdown & Hygiene Ready**  
Blue food-grade belts with IP65 stainless steel construction — easy disassembly for daily washdown and allergen cleaning protocols

The NG-709P-C replaces manual weighing with automated, multi-lane batching. Ideal for fresh produce, seafood, meat, snack foods, and any product where consistent target weight is critical to cost control and regulatory compliance.

|                                               |                                          |                                               |                                                       |
|-----------------------------------------------|------------------------------------------|-----------------------------------------------|-------------------------------------------------------|
| Batching Method<br><b>Multi-Lane Parallel</b> | Recipes<br><b>Multi-SKU Programmable</b> | Belt<br><b>Food-Grade Blue, Quick-Release</b> | Material<br><b>SUS304 Stainless Steel</b>             |
| Accuracy<br><b>±1 g – ±5 g</b>                | Display<br><b>Touchscreen Controller</b> | Waterproof<br><b>IP65 Rated</b>               | Applications<br><b>Produce, Seafood, Snacks, Meat</b> |

# NG-709P-E Weight Batching Machine for Meat

Precision Portion Batching for Fresh Meat, Mince & Protein Products



## Consistent Meat Portions Every Time — Minimize Giveaway, Maximize Yield Value

- 1

**Meat-Grade Hygienic Design**  
Large stainless steel infeed tray designed for raw meat handling. All contact surfaces food-safe, smooth, and easy to sanitize between product runs
- 2

**High-Accuracy Batching**  
Precision load cell technology achieves tight weight tolerances on irregular meat cuts, mince portions, and value-added protein products
- 3

**Configurable Portion Targets**  
Set target weights and tolerances for each SKU. Store multiple recipes for different products and packaging sizes
- 4

**IP67 Deep-Clean Rated**  
Higher waterproof rating for the demanding meat processing environment. Designed for cold-room operation and aggressive daily cleaning

Designed specifically for beef, pork, lamb, and poultry meat portioning, the NG-709P-E delivers precise target-weight batching that reduces costly over-weight giveaway. Handles fresh mince, whole muscle cuts, and marinated portions with equal accuracy.

|                                                    |                                             |                                                 |                                           |
|----------------------------------------------------|---------------------------------------------|-------------------------------------------------|-------------------------------------------|
| Product Type<br><b>Fresh Meat, Mince, Portions</b> | Infeed<br><b>Large Stainless Steel Tray</b> | Waterproof<br><b>IP67 Meat-Processing Rated</b> | Material<br><b>SUS304 Full Stainless</b>  |
| Accuracy<br><b>±1 g – ±5 g</b>                     | Display<br><b>Touchscreen Controller</b>    | Temperature<br><b>Cold-Room Compatible</b>      | Cleaning<br><b>High-Pressure Washdown</b> |

# NG-708 X-Ray Baggage & Parcel Scanner

Security X-Ray Screening for Baggage, Parcels & Cargo — Reliable Threat Detection



## High-Resolution X-Ray Imaging — See Inside Every Bag, Box & Parcel in Seconds

- 1

**High-Resolution X-Ray Imaging**  
Advanced detector array produces sharp, high-contrast images for clear identification of prohibited items, weapons, and contraband
- 2

**Multi-Energy Detection**  
Dual-energy X-ray distinguishes organic, inorganic, and metallic materials by color coding — enabling faster, more accurate screening decisions
- 3

**Large Monitor Display**  
High-definition monitor with image enhancement tools — zoom, rotate, edge detection, and pseudo-color — for thorough item analysis
- 4

**Threat Detection Library**  
Automatic detection algorithms flag high-risk items for operator review. Image archiving and audit trail for compliance documentation

The NG-708 provides professional-grade X-ray security screening for airports, government facilities, hotels, logistics centers, and industrial campuses. A trusted solution for organizations that require reliable threat detection and passenger or cargo screening capability.

|                                                     |                                                |                                                    |                                                       |
|-----------------------------------------------------|------------------------------------------------|----------------------------------------------------|-------------------------------------------------------|
| Detection Method<br><b>Dual-Energy X-Ray</b>        | Display<br><b>High-Definition Monitor</b>      | Threat Library<br><b>Auto-Detection Algorithms</b> | Applications<br><b>Airport, Government, Logistics</b> |
| Tunnel Size<br><b>Customizable (Standard Sizes)</b> | Image Tools<br><b>Zoom, Edge, Pseudo-Color</b> | Audit Trail<br><b>Image Archive &amp; Logging</b>  | Certification<br><b>CE &amp; Safety Certified</b>     |



# NG-8612 Walk-Through Metal Detector

Multi-Zone Security Screening for People & Personnel — High Sensitivity, High Throughput



## Detect Concealed Metal Threats in Seconds — Reliable Security Screening for Any Venue

- 1

**Multi-Zone Detection**  
18 independent detection zones precisely locate the position of detected metal — head, torso, or legs — reducing unnecessary secondary screening
- 2

**Adjustable Sensitivity**  
100-level sensitivity adjustment allows calibration to environment conditions — discriminates between harmless objects and genuine security threats
- 3

**High-Throughput Design**  
Wide passage accommodates simultaneous screening flow at high people throughput — suitable for airports, factories, events, and government buildings
- 4

**Robust & Weather Resistant**  
Stainless steel frame with IP55 protection suitable for indoor and covered outdoor deployment. LED indicators and audible alarm on detection

The NG-8612 provides effective personnel metal screening for factories, government buildings, airports, courthouses, schools, and event venues. Rugged construction with intelligent zone detection reduces false alarms and maintains security throughput during peak periods.

|                      |                      |                   |                                      |
|----------------------|----------------------|-------------------|--------------------------------------|
| Detection Zones      | Alarm                | Protection Rating | Applications                         |
| 18 Independent Zones | LED + Audible Buzzer | IP55              | Factory, Airport, Government, Events |
| Sensitivity Levels   | Power Supply         | Frame             | Deployment                           |
| 100-Level Adjustable | AC 100–240V, 50/60Hz | Stainless Steel   | Indoor & Covered Outdoor             |

# CUSTOMER VOICES

Selected feedback from real customers across different markets.

## 1. REPEAT ORDERS & SATISFACTION

“

We will likely purchase another one soon.

I'm so sorry for the delays.

I believe that we are happy with the product, and we will likely purchase another soon. But just right now we have so so much going on, it's been super busy! :) 下午4:55

Hope you're okay. 下午4:55

I'm so sorry for the delays.

I believe that we are happy with the product, and we will likely purchase another one soon. But ...

Wow, glad to hear that 😊👍 下午4:56 ✓

Message excerpt (WhatsApp)

“

Everything is good, we'll place another order soon.

High Sensitive Industrial Metal Detectors Other Food ...

★★★★★

The metal detector is good quality, thank you!

High Sensitive detector de metales-profesional Froze...

★★★★★

Everything is good, we'll place another order soon.

Verified review (Platform review page)

## 2. PRODUCT QUALITY & PERFORMANCE

“

The metal detector is good quality.

Verified review

★★★★★

High Sensitive Industrial Metal Detectors Other Food ...

The metal detector is good quality, thank you!

“

The sorting machine is working perfectly.

Email feedback

Eva:

Thanks for your follow up.

Yes the sorting machine is working perfectly, thanks for all your kind help and support to us.

I'm even willing to say, your machine's fine workmanship and quality were beyond my expectation.

Thanks you. Much appreciated.

Rich

## 3. TRUST & LONG-TERM COOPERATION

“

You are our best friend from China...you deserved our trust and respect!

Email feedback

Thanks! You are the best 😊

I will call you later for the new case.

You are our best friend from China and person which helped us at the beginning, you deserved our trust and respect !

Med Venlig Hilsen

sen Sales & Purchase

Industri A/S Langå

Telefon +45  
Mobil +45 30  
E-Mail  
Web: [www.com](http://www.com)

“

The workmanship and quality were beyond my expectation.

Email feedback

Eva:

Thanks for your follow up,

Yes the sorting machine is working perfectly, thanks for all your kind help and support to us.

I'm even willing to say, your machine's fine workmanship and quality were beyond my expectation.

Thanks you. Much appreciated.

Rich

# CUSTOMER VOICES

Selected feedback from real customers across different markets.

## 4. PRODUCT VALUE & SATISFACTION

“

Very good value.  
Works great.

United States

Supplier service: **Very Satisfied** (5 stars)

On-time shipment: **Very Satisfied** (5 stars)



Hot Sale Food Security Belt Conveyor Metal De...

★★★★★

very good value. Works great



Megan Zou

Guangdong Newgoer Instrument Co., Ltd.

10 Jul 2025

Thank you for your positive review! Your support is our greatest encouragement. If you have any ideas during subsequent use, please feel free to contact us at any time.

Verified review (Platform review page)

“

Perfect.

3月19日 周三

Hello Pawin,

Good day,

Have you started using our company's Food Metal Detector at present?🥳

Is everything goes well with it?

14:53 ✓

Perfect

14:58

WhatsApp follow-up

## 5. REPEAT ORDERS & BUSINESS GROWTH

“

Next step is metal detector + check weigh.

2024年11月24日

Hi, everithing is ok for now. Thank you so much.

Next step is metal detector+check weight

15:42

Message excerpt (WhatsApp)

“

I will contact you anyway for another order.

Hi Eva,

thank you very much, the condition of the received goods was OK.

We did some measurements, and it works well; so we are completely staisfied.

I will contact you anyway in the near future for another order.

Have a good day!

Maurizio

Email feedback

## 6. SERVICE EXPERIENCE & TRUST

“

If you were here  
I would hire you.



01:18

01:29





If you were here I would hire you

01:35



WhatsApp feedback

“

The sales and their team are very friendly and responsible, help us step by step.

Supplier Service: **Very satisfied** (5 stars)

On-time Shipment: **Very satisfied** (5 stars)



Digital conveyor wide tunnel broken needle detector/...

★★★★★

The sales and their team are very friendly and responsible,help us step by step.

Verified review